

ADULT BODICE BLOCK

Age -15''

Hight – 5ft.

measurements

length = $2/8$ of height = 37.5cm [15'']

round bust = 85cm [34'']

pivot point = 23cm [9'']

size of paper

length of paper = length of bodice block

width of paper = $1/2$ round bust + 2.5cm [1''] ease

method

construction lines

- take the given size of paper
- mark the corners ABCD
- divide AC into $1/2$ mark the line EE'
- divide AE into $1/2$ mark the line FF'
- divide AF into $1/2$ mark the line GG'
- line HH' is 2cm [$3/4$ '] below line AB
- divide AB into 6 equal parts mark the lines 1,2,3,4,5
- line 6 is 1cm [$1/2$ '] away from line 3 toward line 2

Back

- point I is 1cm [$1/2$ '] away from point 1 toward point A
- join HI for back neckline curve

-where line 2 and HH' intersect is a point called J

-join I J and extend it by 2.5 cm [1"] to k

-point L is the intersection point of line 2 and FF'

-point M is 2cm [3/4"] out from point L

-where line 6 and EE' intersect is a point called N

-join KMN for back armhole curve

Front

-point O is 1cm [1/2"] away from line 5 towards point B

-join OF' with deep inward curve for front neckline

-where line 4 and line HH' intersect is a point called P

- join OP and extend it by 2.5 cm [1"] to Q

-where line 4 and FF' intersect is a point called R

-point S is 5cm [1/4"] away from point R towards line 3

-join points QSN for the front armhole curve

-points T and T' are 2.5 cm [1"] away on either side of line 6

-join NT and NT'' for the side seams of front and back respectively

Darts

-draw the bustline 23cm [9"] below AB [pivot point measurement]

-go 1cm [1/2"] away from line 5 towards line 4 and mark the point called u [bust point]

-from u draw a perpendicular to meet the waistline CD and mark the point U'

-Waistline dart – width of waistline dart is 2cm [3/4"] on either side of u and length of this dart is marked till 1cm [1/2 "]away from the pivot point U


-Side seam dart – point V is 10cm [4"] below point N on NT line. Join U and V . Width of this dart is 1cm [1/2"] on either side of V . Length of this dart is marked till 2.5cm [1"] away from pivot point U

-Armhole dart –where line 4 and line EE' intersect is a point called W. join UW and extend it till armhole curve and mark that point as W .point W should be the deepest point of armhole .width of this

dart is .5cm [1/4"] on eightside of W , and length of this dart is marked till 2.5cm [1"] away from pivot point U

-Back dart –shorten the back by 2.5 cm [1"] because of the side seam dart in front . width of back dart is 1cm [1/2"] on either side of line . I and length is marked 1cm [1/2"] taller than the bust line

- mark the grainline and write down the measurements to complete the drafting .



SEAM ALLOWANCE

